

Docs HTML Template

by PRESSAPPS

Documentation

Table of Content

[Folder Structure](#)

[HTML Structure](#)

[Navigation](#)

[Footer](#)

[Contact Form](#)

[Awesomplete Search](#)

[CSS File and Structure](#)

[Using Build Process](#)

[JavaScript](#)

[Manually Overriding Files](#)

[Framework](#)

[Support](#)

Folder Structure

Within the template you'll find the following folders:

- /dist (production ready HTML/CSS/JS files)
- /src (KIT/SASS/JS source files when using build process)

HTML Structure

This responsive theme built with on Ulkit 3.2 so please refer to original docs for more info and components use <https://getuikit.com/docs/introduction>

The template consists of:

- docs/dist/index.html - Home knowledgebase page
- docs/dist/doc.html - Documentation page
- docs/dist/changelog-posts.html - Changelog page
- docs/dist/changelog-timeline.html - Changelog page alt version
- docs/dist/contact.html - Contact us page with a form
- docs/dist/blog.html - Blog page
- docs/dist/post.html - Blog post page

Navigation

Header navigation link are located within the <nav> tag, active page link has “uk-active” class assigned.

```
<nav class="border-bottom">
  <div class="uk-container">
    <div data-uk-navbar>
      <div class="uk-navbar-left">
        <a class="uk-navbar-item uk-logo uk-text-small" href="index.html">BASE</a>
      </div>
      <div class="uk-navbar-right">
        <ul class="uk-navbar-nav uk-visible@m">
          <li><a href="index.html">Home</a></li>
          <li class="uk-active"><a href="faq.html">Faq</a></li>
          <li><a href="blog.html">Blog</a></li>
          <li><a href="changelog.html">Changelog</a></li>
          <li><a href="download.html">Download</a></li>
          <li><a href="contact.html">Contact</a></li>
        </ul>
        <div class="uk-navbar-item uk-visible@m">
          <a href="#" class="uk-button uk-button-primary">Get Started</a>
        </div>
        <a class="uk-navbar-toggle uk-hidden@m" href="#offcanvas" data-uk-navbar-toggl
      </div>
    </div>
  </div>
</nav>
```

Footer

Copyright and social icons can be edited inside the <footer> tag:

Social icon link example:

```
<a href="https://www.instagram.com/" data-uk-icon="icon: instagram"
class="uk-icon-link"></a>
```

All available icons are documented here: <https://getuikit.com/docs/icon>

Contact Form

Template comes with contact form in contact.html file. You can copy paste the form to any page you need. If you need to add form input fields full documentation is located here

<https://getuikit.com/docs/form>

Awesocomplete Search

Template comes with autocomplete Awesocomplete search included, documentation can be found here <http://leaverou.github.io/awesocomplete/> Awesocomplete and demo search JS is included before closing </body> tag:

```
<body data-gr-c-s-loaded="true">
  <header>...</header>
  <div class="uk-section">...</div>
  <div class="uk-section section-featured">...</div>
  <div class="uk-section section-videos">...</div>
  <div class="uk-section">...</div>
  <div class="uk-section section-team">...</div>
  <div class="uk-section uk-text-center">
    ::before
    <div class="uk-container uk-container-small">
      ::before
      <div data-uk-scrollspy="cls: uk-animation-slide-bottom-medium; repeat: true" style="visibility: hidden;" class>...</div>
      ::after
    </div>
    ::after
  </div>
  <div id="offcanvas-docs" data-uk-offcanvas="overlay: true" class="uk-offcanvas">...</div>
  <div id="offcanvas" data-uk-offcanvas="flip: true; overlay: true" class="uk-offcanvas">...</div>
  <footer class="uk-section uk-text-center uk-text-muted">...</footer>
  <script src="js/awesocomplete.js"></script>
  <script src="js/custom.js"></script>
</body>
<span class="gr__tooltip">...</span>
</html>
```

Javascript source files are located in docs/src/js/ folder.

CSS File and Structure

To modify the look and feel of the template, edit the SASS files located in docs/src/scss/ folder.

- docs/src/scss/main.scss - Main template styles file that imports partial SASS files

If you would like to edit a specific Uikit component, you can either:

- override SASS variables in `docs/src/scss/_variables.scss`
- modify/create a custom class in `docs/src/scss/_mixins.scss`

For the list of all available variables and mixins in UIKit see the following files:

- `node_modules/uikit/src/scss/variables.scss`
- `node_modules/uikit/src/scss/mixins.scss`

Using Build Process

We used CodeKit and Npm for build process <https://codekitapp.com/> <https://www.npmjs.com/>

Run the following npm commands using terminal in root template directory:

- `npm install` (run once to install UIKit and awesomeplete dependencies)

Note: npm must be first installed globally, see npm site <https://www.npmjs.com/>

CodeKit is then used to compile template source files (KIT/SASS/JS) in root folder.

JavaScript

The following scripts are loaded before the body closing tag:

- `docs/dist/js/awesomeplete.js` - Contains Awesomeplete search script
- `docs/dist/js/custom.js` - Contains custom script, add your Javascript here

The following script are loaded head tag:

- `docs/dist/js/uikit.js` - Contains main UIKit scripts and icons

Detailed UIKit script documentation is located here <https://getuikit.com/docs/javascript>

Manually Overriding Files

If you decide to manually modify CSS/JS files use /dist folder. If you would like to edit a specific component of the site, simply check the table of contents in the main.css template file, and then scroll down until you find the appropriate style that needs to be edited.

If you would like to edit the primary color of the theme you should do "Replace all" color #05c896 with the desired one.

Framework

Template uses Ulkit front-end framework version 3.2, documentation is located here:

<https://getuikit.com/docs/introduction>

Support

Support is only provided through our Themeforest profile form at:

<https://themeforest.net/user/pressapps>